Collection no. 84 Central Q'land
Key & Chinnick 19

6165.
24/4/57. 6156.8. Coonamble. | Plain
Macrotona sp. 16, Froggattina australis,
with shallow dry watercourses.
Peakesia fuscomaculata, Oedaleus
Coolabah with occ. populifolia
australis, ~~Cedarinia sp.~~, Phaulacridium
& wild orange on slightly higher
vittatum, Aiolopus tamulus, Ecphantus
ground with pale sandy surface
quadrilobus, Acrida & rosewood conica,
soil, leading to coolabah &
Genus nov. 5(?), Zubrala sp.
ultimately treeless plain on
strongly self-mulching dark grey
soil with Bassia quinquecuspis.
Oedaleus, Chort, Austracris guttulosa
(j)

6176 Wingadee turn off

6186. E. largiflorens with some
Bermius sp., Cedarinia sp., Aiolopus
coolibah, populifolia, Casuarina
tamulus, Cryptobothrus chrysophorus;
lepidophloia & occ. Geijera & Acacia
stenophylla on broad low-lying
area on grey self-mulching soil
with Paspalidium jubiflorum to
3ft, sedges, Marsilea & flea-bane.
Oedaleus, Acrida

6199 Castlereagh River

6209. Strongly self-mulching chocolate
? Perelytrana sp. (♀)
soil plain with dense even
stand of Astrebla lappacea &
Dichanthium sericeum; widely
scattered myall, rosewood, &
currantbush. Aiolopus, Austracris
~~guttulosa~~.

6227. Walgett.

6230. Leave Walgett.

233. Barwon R.

234. Brewarrina turn-off.

241. Coolibah woodland to 25 ft on
Zabrala sp., Aiolopus tamulus, Ecphantus
grey self-mulching plain. Bassia
quadrilobus (♀), Cedarinia sp., Genus
birchii & other bassias to 1 ft.,
nov. 5 (?) sp.,
various grasses to 6 in. Chort.:
Acrida.

257. E. populifolia, Callitris glauca
Macrotona sp. 16, Genus nov. 5 (?) sp.,
& Eremophila mitchellii on red
Heteropternis obscurella (♀); Cedarinia sp.,
sand. Undulating fringe of
Moraba sp.
mulga tableland. Aristida

to 1ft
jerichoensis, Eragrostis lacunaria(?) to 9in, & Digitaria brownii to 1ft. forming fairly dense cover. Patches of Themeda australis. Moraba amongst D. brownii. Oedaleus, Chort. & Pycnostictus seriatus.

259.6 Cumborah

260. E. melanophloia to 25ft woodland with occ. populifolia & Angophora melanoxylon on tableland of red sand with white gravel av. diam. ½ in. Triodia mitchelli, Aristida jerichoensis & Themeda australis about equally abundant all to 2ft. Macrotona in Triodia. Moraba mainly between Triodia on Eragrostis sp., Digitaria brownii & Bassia birchii. Pycnostictus seriatus.

. Macrotona spp. (3), Austracris guttulosa, Oedaleus australis, Pycnostictus seriatus, Cedarinia sp., Moraba sp., Heteropternis obscurella (1), Azelota ochracea,

269. E. populifolia. Widdah, some

Ecphantus quadrilobus, occ. Cedarinia sp.,
mulga, whitewood, wild orange
Macrotona sp., Genus nov. 5(?) sp.,
& currantbush. On undulating
country with red-brown soil & mottled
lateritic stones up to 6 in. diam.
& finer gravel. Sparse ground
cover of Sida sp., Bassia birchii,
Eragrostis sp., & Digitaria brownii.
Oedaleus, Chort; Pycnostictus
seriatus.

6288. Narran R.

295. Gidgea on strongly self-mulching
Chortoicetes terminifera
dark grey soil plain, with dense
Sporobolus sp., Eragrostis sp.,
Astrebla sp., Atriplex leptocarpa
& Bassia quinquecuspis all to
1-2 ft. Aiolopus, Austracris gutt(?)

2 296. Brewarrina turn-off.

313. Goodooga

25/4/57. 313. Goodooga.

with some
317. E. populifolia / coolibah ~~+ gidgea~~ +
Acrida conica, Chortoicetes terminifera,
occ. wild orange on pale brown

Oedaleus australis, Pycnostictus
silt loam plain. Good cover of
seriatus, Ecphantus quadrilobus;
many species of grass, Bassia +
Macrotona spp. (2), Austroicetes pusilla;
annual Atriplex, some eroded
Genus nov. 5(?) sp.
bare patches. Austracris gutt. (j)
Heteropternis (j), Aiolopus

6
325. whitewood, leopardwood, occ.
Zabrala sp., Austroicetes + mulga
beefwood, Ventilago viminalis, all
pusilla, Stropis sp., to 15ft Macrolopholia
to 20ft. Acacia victoriae, Cassia
sp., Chortoicetes terminifera, Aiolopus
sp. to 6ft, Rhagodia sp. to 3ft,
tamulus, Genus nov. 5 (?) sp., Moraba
Capparis lasianthus (?); Dichanthium
sp.
sericeum, Sporobolus caroli, Chloris
creeping
truncata to 1ft, some Atriplex sp.,
+ Trichinium sp.
+ Bassia sp., Pale brown silt loam
plain. Acrida, Austracris guttulosa
(j). Moraba associated with the
chenopods.

339 Hebel

343. Atalaya to 25ft., Ventilago,
Zabrala sp., Froggattina australis,
mulga, rosewood, leopardwood,
Peakesia sp., Cedarinia sp., Macrotona spp. (2),
buddah, on brown sandy loam
Heteropternis obscurella; Pycnostictus
plain. Bassia birchii abundant

striatus, Genus nov. 5(?) sp.
with Chloris acicularis & a few small
Bassias + Atriplex. Oedaleus,
Acrida, Chort., Austracris gutt.
355 Booligal; Caloomahtum-off.
357 River Xing? Bridge.
359. E. melanophloia with Eragrostis
Stropis maculosa, Goniaea sp., Genus
sp. on lateritic residual with
nov. 28 sp., Aiolopus tamulus, Macrotona
gravelly soil & some rock
sp. 16, Genus nov. 5(?) sp.
exposure, leading down to
E. populifolia, with some Atalaya,
sa.
Geijera, Santalum, wild orange, on
brown sandy loam. Chloris sp. +
dense
Bassia birchii to 1 ft. Acrida,
Oedaleus, Pycnostictus seriatus,
Austracris guttulosa.
380. Dirranbandi
384. Coolibah & E. tessellaris on
Aiolopus tamulus, Heteropternis
pale sand overlying self-mulching
obscurella, Froggattina australis,
dark grey soil along Bokhara
Pycnostictus seriatus, Genus nov. 5
R. Aristida sp. + Dichanthium
(?) sp.
sericeum, a little Helichrysum.

Acrida, Oedaleus.

Balonne R.
396. ~~[illegible]~~ crossing

400. E. populifolia to 30ft, ~~with~~
Callitrala sp., Moraba [illegible] to 10ft;
Acacia excelsa to 20ft, (with
sp., Peakesia sp., Froggattina australis,
mulga, Callitris glauca, + occ. wild
Monistria sp.; to 8in. Pycnostictus
orange. Aristida spp. (Eragrostis
seriatus, Cedarinia sp., Macrotona sp.,
lacunana(?), Bassia birchii, +
Ecphantus quadrilobus, Azelota sp.,
Rhagodia sp. (both sparse). Morabas
Genus nov. 5(?) sp
associated with Bassia + Rhagodia
under trees. Red sand. Oedaleus,
Acrida, Pycnostictus seriatus

428. St. George
Paratettix australis, P. nigrescens
26/I 429 St. George (leaving)

444. Gently undulating red sandy loam
sparse Ecphantus quadrilobus (?), Genus
with purple ironstone gravel. E.
nov. 5(?) sp., Monistria sp., Macrotona (15ft)
populifolia to 40ft. with buddah (
spp.(?) (15ft) Cedarinia sp., Peakesia sp.;
mulga), mulga (20ft) Dodonaea sp.
Heteropternis obscurella, Macrolopholia
(6ft), Cassia sp. (3ft). Sparse grass
(Chloris + Aristida) sp., Acrida conica
~~on~~ ground layer to 9in., occ. Sida,
Rhagodia, Bassia birchii. Oedaleus,
Pycnostictus seriatus, Froggattina

Austracris guttulosa.

461 Turn off to Warrego Bridge.
Genus nov. 5(?) sp.,
464. Thinned E. populifolia (30ft),
Cedarinia sp., Heteropternis obscurella,
buddah, occ. wilga, currantbush, on
Goniaea sp., Froggattina australis,
pale brown sandy loam with
Chortoicetes terminifera, Macrotona sp. 16,
Aristida & Chloris. Acrida, Pycnostictus
Oedaleus australis, Ecphantus quadrilobus
seriatus.

484. Undulating red-brown sandy
Macrotona sp. 16, Genus nov. 5(?) sp.,
loam with a little surface
Cedarinia sp., Peakesia sp., Pycnostictus
lateritic gravel. E. populifolia (25
seriatus, Heteropternis obscurella

? Bauhinia carronii ~~(F.?)~~ F. Muell.

ft.). Bauhinia sp. (spec.) (20ft),
buddah, occ. wilga & currantbush.
Good ground cover of Chloris sp. &
Dichanthium sericeum, occ. Bassia
birchii, other Bassias, & Rhagodia
sp. Aiolopus, Chort., Acrida, Oedal.,
Austracris gutt., Froggattina.
489 Werlona Ck.
496. Bauhinia, occ. Grewia, myall,
Cedarinia sp., Austracris guttulosa;
~~[illegible]~~ wild orange, Capparis
Froggattina australis, all
lasianthus (?), lulah, very widely

spaced on rolling blue-grass downs.
Soil chocolate, strongly self-
mulching. Pasture dense, to 1ft.
Aiolopus; Chort.; Acrida

6502 Surat

(15)
513. E. populifolia to 40ft, wilga,
Cedarinia sp. (15ft) (25ft) Froggattina
occ. rosewood, bulloke, buddah (10ft),
australis, Rapsilla fusca, Heteropternis
with numerous small thorny
obscurella, Genus nov. 5(?) sp., Moraba
Carissa ovata R.Br.
scramblers to 3ft (spec.), tussocky
sp.
grasses to 2ft, occ. Bassia
birchii. On pale brown sandy loam
rise. Chort. Pycnostictus seniculus

522. Join Condamine Hway.
Heteropternis obscurella, Moraba sp.,
529. E. populifolia to 40ft, occ. Acacia
Cedarinia sp., Monistria sp.,
excelsa, buddah, pine. Coarse
Genus nov. 65 sp., Genus nov. B(?)
grasses to 3ft. Pale sandy loam,
sp., Acrida conica, Peakesia sp.,
undulating. Oedaleus.

(30ft),
538. Thinnish belah, brigalow,
Ecphantus quadrilobus, Macrotona
wilga on grey-brown self-
sp. 16; Aiolopus tamulus, Froggattina
mulching soil, undulating.
australis, Rapsilla fusca.
Dichanthium sericeum to 18in,

Cedarinia sp.
Occ. Salsola kali, Bassia quinque-
cuspis, B. birchii, Kochia sp.

545. Rolling blue-grass downs:
Cedarinia sp., Aiolopus tamulus,
Grey-brown self-mulching soil.
Moraba sp., Froggattina australis,
Scattered E. populifolia, and, along
shallow watercourses, E. camaldul-
ensis (?) (spec.). Oedaleus, Chort,
Acrida, Pycnostictus seriatus.
Occ. Bassia birchii & B. quinquecuspis.
Moraba amongst grass under
E. camaldulensis (?)

549. Roma

550 Roma (depart) 27-4-57

561. Undulating pale brown loam.
Moraba sp., Genus nov. 5 (?) sp.,
E. populifolia to 50 ft., mulga, C. glauca,
buddah. Ground layer of mixed
grasses to 18 in., buddah regrowth
abundant. Heteropternis.

573. Sandstone outcrop, with E.
Heteropternis obscurella, Oedaleus
populifolia, C. glauca, occ. E.
australis, Cedarinia sp., Genus
melanophloia & Angophora lanceolata.

nov. 15(?) sp., Psednura [illegible]
[illegible] to 5ft, sparse grasses to 1ft.

579 Rd. Junct. R. to [illegible], L. Injune
510 Left Turn off to Ashfield ~~[illegible]~~
592. Left Turn off to Bymount.
595. [illegible] Ck. (30ft) [illegible], [illegible] E. [illegible], [illegible]. Sparse grasses to 1ft, [illegible] sp., [illegible] sp. [illegible]. sp. [illegible].
598 Gunnewin
605 [illegible]
609 Injune
610 R Turn To Baffle Ck. ~~[illegible]~~.
612. Undulating [illegible] [illegible] E. [illegible] E. populifolia. [illegible] E. [illegible] nov. 15(?) sp. Psednura musgravei (♀) [illegible] sp. [illegible] to 2ft. fairly thin, in places [illegible] thin. Cover of [illegible] sp. to 1ft. Callitris

[illegible] associates with [illegible].
[illegible] group with [illegible].
[illegible] [illegible], Cenchrus.

6619 Hutton Ck.

626. Angophora lanceolata, E.
[illegible]
blakelyi (?), E. [illegible], C. glauca,
[illegible]
[illegible] E. melanophloia, [illegible],
[illegible]
E. populifolia. A broad-phyllode
musgravei
wattle frequent to 10ft. Miscellaneous
grasses to 2ft, Helichrysum. Aristida,
Cenchrus, Heteropogon, [illegible],
[illegible] sand.

632. ?Bluff Creek. [illegible]
[illegible]
[illegible]
sandstone.

630 Rocky slope, with E. [illegible]
[illegible]
Angophora lanceolata, C. glauca.
[illegible]
Casuarina sp. & Acacia spp. frequent
to 8ft. Themeda australis &
Aristida sp to 2ft. Helichrysum
occasional.

629. Eucalypt, rough bark to [illegible]

Psednura musgravei (j) [illegible] sp.
([illegible] [illegible]) [illegible]
Morabba sp. [illegible] E. aspera F. Muell.
slightly glaucous (20 ft) [illegible] (spec.)
[spec. 2]
with another [illegible] broad yellow-
[illegible] strija sp.; & Macrotona sp.;
green [illegible], grey, slightly [illegible]
Occ. [illegible] [illegible]
bark. [illegible] [illegible] to
Acacia macradenia Benth.
shrubby (3 ft), ~~[illegible]~~ another (spec.)
to 6 ft. Soil pale sandy on
stack of rocks; here shrubs of a
Prostanthera euphrasioides Benth.
labiate (spec.) to 1 ft. common,
also Cassinia sp. to 4 ft. [illegible]
associated with labiate. [illegible]
wiry grass or spinifex to 3 ft.
mainly 1 ft. [illegible] sp. (j)
652. Undulating pale sandy ground,
[illegible] [illegible]
with scattered gravel to ½ inch.
E. brachyphloia F. Muell.
E. [illegible] (?) (spec.), a bloodwood
(spec.) to 20 ft. ([illegible] to [illegible]) [illegible] developed
understorey [illegible] +
Triodia sp.
clumps of Triodia sp. (spec.) +
miscellaneous [illegible] shrubs
to 1-3 ft. [illegible] on shrubs.
[illegible]

Daviesia filipes Benth.

655. Camp-site

28/4. 656 Depart camp.

657. Hilly. Powdery brown loam.
E. hemiphloia (?), E. melanophloia, ?
Australis [illegible]
occ. E. maculata to 60ft. Numerous
[illegible]
shrubs to 10ft, including the
[illegible]
thorny scrambling + [illegible] wattle.
sp.
occ. Macrozamia to 10ft. Grass
2-4ft, some parts. Aristida

664. Steep slope, rocky in places.
Moundtria sp., Macrozamia sp.
E. racemosa, E. melanophloia,
grey-barked
occ. E. maculata, tall bloodwood.
[illegible] sp., Mor[illegible] (?).
all to 70ft, scattered shrubs of
[illegible] musgravei, sp. & Macrozamia sp.
Acacia spp. + Casuarina to 10ft.
?Pert[illegible] sp. (?). Acacia sp.
spec. 1 to 3ft. Common in patches.
to 3ft Haloragis elata A. Cunn.
Dodonaea triangularis Lindl.
[illegible] 3 occ. & spec. 2 dense in patches
1ft. Lomandra sp. in patches
to 9in., scattered grass 1-2ft.
[illegible]
Habitat as at earlier stop in
patches to 2ft. More [illegible] mainly
Haloragis
associated with spec. 2, [illegible]

with laterite (Nor [illegible])

666. Undulating country small-leaved box to 50ft, vulgaris to 15ft, sol. bottle tree, ti-tree shrub abundant to 4ft. Aristida Ochrosperma, the Vellozia [illegible] Hilly; chocolate friable soil.

668 Turn off. Left the Lane on Gorge River at this point.

685. Undulating pale brown sandy loam. E. melanophloia, E. papuana to 40ft. bulldah sapling Dichrostachys
spicata (F. Muell.) Domin
to 10ft. vulgaris to 7ft, prickly scramblers 4ft, grasses to 1½ft. Heteropogon, [illegible].

704 E. melanophloia, E. papuana to 35ft. occ. bulldah. On grey sandy loam flat. Grasses [illegible] to 2ft. Ochrosperma. Heteropogon.

907 Left T.O. to Reid's Dome.

719 Rolleston

6723. Rolling downs, deep [illegible] heavily self-mulching soil. [illegible] Dichanthium sericeum dominant nov. 21(?) sp. [illegible] with some other grasses, [illegible] Iseilema sp., Heteropogon [illegible] 2 ft, giving almost complete cover. Very [illegible] flowered with [illegible] but [illegible] the plants after the [illegible] grasses but the [illegible].

728 Meteor Ck.

731. Rolling black [illegible] self-mulching soil. [illegible] 21(?) sp. Moraba sp., [illegible] & other grasses [illegible] 2 ft [illegible] Soil with numerous [illegible] of basalt av. diam. ca. 6 in. on surface. [illegible]. Widely spaced E. [illegible] leading to the [illegible] creek with [illegible]. E. [illegible]

747 . E. melanophloia + Bloodwood

at sea, woodland densely
to 3 ft. from lower slopes of hill.
[illegible]
[illegible] [illegible] Loam [illegible]
[illegible]
uniform pasture of Bothriochloa
decipiens, Eulalia fulva, spec. 1,
& Themeda australis to 3 ft.

Aistopus.

6750 Steep sandstone ridges, with
[illegible]
much exposed rock. E. racemosa
[illegible]
& E. [illegible], ~~[illegible]~~ & E.
to 60ft,
[illegible] with [illegible] heath with
broad glaucous phyllodes to 10ft
& Casuarina sp. to 5 ft. On summit,
same species, the trees very
thick, with a [illegible] with
long, very [illegible] green leaves
forming the ground layer.

751 Mt. [illegible] range. Top of ridge
[illegible]
with [illegible] on
[illegible]
basalt on the exposed rocks.
(?)
E. racemosa, E. [illegible]
bloodwood to 25 ft, with

[illegible] to 7 ft. [illegible]
[illegible] of Thomasia [illegible]
[illegible] Labichea [illegible] to 3 ft.

[illegible], [illegible]

[illegible]. [illegible]

764 [illegible]

770. [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

[illegible]

77? [illegible]

780. [illegible]
genus [illegible]
[illegible]
Adarnia [illegible]
[illegible] 4 m. [illegible]
Calytrix [illegible]
[illegible] to 30 ft. [illegible]
Moraba sp.
[illegible]
[illegible]
[illegible]
[illegible] to 1 ft. [illegible].

782 [illegible].

790. [illegible] in rolling

Lomah [illegible], [illegible]
[illegible] [illegible]. [illegible]
[illegible] [illegible]
[illegible]; [illegible] sp., [illegible]
sp., [illegible] to 3ft. Patches of Acacia
? victoriae to 6ft.

6791 [illegible]

778. E. [illegible], with [illegible]
[illegible],
[illegible] E. [illegible],
[illegible]-barked [illegible] (rough
(= E. [illegible]?);
at base) [illegible], [illegible],
to 30ft. [illegible], [illegible], often
? Phyllanthus sp., Pittosporum sp., Bursaria spinosa Cav.
small trees & shrubs ([illegible]);
? Methiola sp.; [illegible];
[illegible]
[illegible]
[illegible]
[illegible]
4 [illegible]
[illegible]
[illegible] [illegible].

[illegible]

805. [illegible]

806 [illegible]

817. [illegible],
[illegible]
[illegible]
[illegible] sp. [illegible] to 3ft. [illegible]

Cassia [illegible]. [illegible]
[illegible], [illegible], [illegible]
[illegible].

602 [illegible]

832 [illegible]

835. [illegible] Range. E. [illegible]
Australia ? [illegible]
[illegible] [illegible] (E.
[illegible]
[illegible]), [illegible]
[illegible] [illegible]
(all to 3ft) [illegible] [illegible] "N.T.
Cassia sp. aff. C. brewsteri F. Muell.
[illegible] (([illegible]) to 15ft. [illegible]
sp., ?Methiola sp., Pychnostach.
[illegible], Themeda [illegible]
sinatus
[illegible] to 3ft, [illegible] large [illegible]
[illegible] [illegible], [illegible] large
[illegible]. [illegible], [illegible]

854 [illegible] [illegible]
[illegible]
[illegible] & a'pus [illegible] [illegible].
Cedarilla sp. [illegible]
E. [illegible] to [illegible] [illegible]
Macrozamia [illegible]
E. [illegible] to (?). [illegible]
[illegible]
[illegible], Themeda australis
to 2ft. [illegible].

6845 Ending

[illegible]. Ridge [illegible] brown [illegible]
[illegible]
[illegible] E. [illegible]
[illegible] 5 to 15 ft. [illegible]
prickly scrambler. [illegible]

853 Willows Sta. [illegible]

869 [illegible]

870 " " [illegible]

[illegible]

A: Hakea lorea R. Br.
B: Santalum lanceolatum R. Br.
C: Dichrostachys spicata (F. Muell.) Domin.
D: Scawola spinescens R. Br.
E. Petalostigma quadriloculare F. Muell., var. pubescens F. Muell.

[illegible]

882 Rail Sta.

886. [illegible] Acacia spp.
E. [illegible] 15 ft [illegible]
[illegible] frilla, [illegible]
[illegible] 30, Bauhinia
[illegible]
[illegible],
Moss 'd' sp.
Scawola spinesc., prickly scrambler.
[illegible], Thready

x Eucalyptus papuana F. Muell.

australis, to 3ft, Chloris (?).
[illegible], Enneapogon sp., Aristida.
Termites on Chloris + Enneapogon.
6900. Gently undulating red-brown
on dry loam. E. terminalis, E.
papuana (x)
~~[illegible]~~, E. [illegible],
Acacia excelsa
or E. populifolia, Acacia sp.,
Bau H.
~~[illegible]~~ all to 30-40ft, with
[illegible], infrequent, [illegible]
[illegible]
[illegible], ~~[illegible]~~, [illegible] +
other shrubs + small trees. [illegible]
[illegible], Themeda australis,
Chloris sp., Aristida, to 1-2ft.
~~[illegible]~~

6900-9. Dry Top

914 Alpha.

916. Plain [illegible]
[illegible], [illegible]
loam. E. terminalis, E. papuana x,
Bau H.
at [illegible] scattered density to
40ft [illegible]. E. [illegible]. [illegible]
[illegible] uniform density

X

H: Alphitonia excelsa Reissek ex Endl.

K: ? Persoonia sp.

to 3 ft.

931 Bot./

E. polycarpa F. Muell.

931 E. terminalis, another bloodwood
Apotropis sp. Grevillea sp. [illegible]
[illegible]
[illegible] sp. Acacia cunninghamii Hook.
E. melanophloia, [illegible]
[illegible] sp., Grevillea pteridifolia Knight
(spec. T), [illegible] (spec. I),
[illegible]
[illegible]
[illegible]
small trees (of spec. H). [illegible]
[illegible], Themeda australis, [illegible]
Triodia sp.
[illegible], to 3 ft, Triodia sp.
[illegible]
(spec.) in patches. ~~[illegible]~~
& [illegible] in Triodia. [illegible]
[illegible], Melanophloia
942 [illegible] to 15 ft on
[illegible]
[illegible] of [illegible]
Range [illegible] brown sandy soil
spp. (2).
with fine [illegible] Eragrostis lacunaria F. Muell.
[illegible] of Eragrostis sp (spec.)
& Aristida sp., to 9 in. Occ. E.
populifolia, E. racemosa & E.
melanophloia, overtopping the [illegible]

Thryptomene sp. or Micromyrtus sp.
Calythrix longiflora F. Muell.

[illegible] [illegible] [illegible].

[illegible] [illegible]

961 Springvale

E. similis Maiden

764. yellow-barked [illegible] E. (spec.) [illegible] [illegible] dominant to 25ft. Various [illegible] Acacia rather shrubby to 6ft., a [illegible] [illegible] & Triodia. Red-brown [illegible] [illegible] [illegible]. [illegible] [illegible].

974. Kail Siding

977 middle slope. Pale brown [illegible] sp., Macrotona [illegible] soil with [illegible] Kusupplia sp., [illegible] lateritic gravel! E. populifolia 5(?) sp. to 25ft. occ. [illegible], Acacia [illegible] to 3ft &

prob. Triodia mitchellii Benth.

Triodia sp. (spec.). Macrotona & Kusupplia in Triodia.

979 [illegible]

985. Slightly [illegible] plain with Macrotona sp. large patches of Triodia [illegible] to 9in. (except inflorescences). Only

widely
this plant has [illegible] of
[illegible] to 6 ft!

6990 [illegible]

7001 Barcaldine

7002 Barcaldine 4/5/57 depart

007 Alice River
[illegible] sp. (?),

013. [illegible] 12 to 15 ft. dense [illegible]
[illegible] sp., [illegible] gutterosa,
[illegible] 4 ft. [illegible] & other
[illegible] ~~[illegible]~~ Acacia
[illegible] sp., [illegible] sp. (?), [illegible]
[illegible] to 9 in.

018. Left Town to [illegible]

031. [illegible]
[illegible] ([illegible]) [illegible]
[illegible] sp.,
[illegible]
[illegible] to 2 ft. [illegible]
Acacia ~~sp.~~ cana Maiden
with [illegible] Acacia ~~[illegible]~~
(?)(spec) to 20 ft. [illegible]
Acacia farnesiana (L.) Willd.
to 10 ft., & Acacia sp. (spec) to 4 ft.
Creek.

049. [illegible] between gidgee on

[illegible] [illegible] with [illegible]
[illegible] [illegible] [illegible]
gravel & [illegible] [illegible] [illegible]
flat. [illegible]. [illegible],
[illegible], [illegible], [illegible]
[illegible]. [illegible] [illegible] from
[illegible] stop all [illegible] [illegible]
[illegible] [illegible]. [illegible] [illegible]
[illegible] & other grasses, etc.
[illegible] [illegible] [illegible]. [illegible]
[illegible].

051 Skeleton Ck.

054 Douglas [illegible], Ck.

065 Blackall

076 [illegible], [illegible], [illegible]
Aiolopus tamulus, Locusta [illegible],
[illegible], [illegible], [illegible].
Scaevola spinescens
[illegible], [illegible], with [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible].

[illegible]

094 Barcoo River

100. [illegible] [illegible] [illegible];
[illegible] sp.,
E. populifolia, occ. E. melanophloia

[illegible]
[illegible]
[illegible]
[illegible]
[illegible] Myoporum
[illegible]
deserti A.Cunn. [illegible]
[illegible]
[illegible]
[illegible]
reg. 13(?) sp., fragrant [illegible]
[illegible]

117 [illegible]
[illegible]
[illegible]
[illegible]
[illegible] a little less
[illegible]
[illegible]
[illegible]

128 [illegible]
[illegible]
[illegible]
[illegible]
[illegible]

130. [illegible]

2/5. 130 [illegible] ([illegible])

1145. [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

1147. [illegible] (374)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Eragrostis lacunaria F. Muell.

[illegible] ([illegible]) [illegible]

[illegible] in [illegible]

[illegible]

[illegible] Eragrostis

1150 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

199 [illegible]

[illegible]

203 [illegible]

208 [illegible] Ck.

209 [illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Chloris pectinata Benth.

Chloris scariosa F.Muell.

[illegible]

[illegible]

[illegible]

7.2.53. [illegible]

[illegible]

Dodonaea laurifolia Lindl.

[illegible]

Acacia gnidium Benth.

[illegible]

Triodia marginata N.T. Burbidge

[illegible]

Dicrostylis weddii F.M.Baily (spec.).

[illegible]

no clear plant association.

Saw a [illegible] + a [illegible] (?)

329. Red-brown sandy loam undulating. E. populifolia to 50 ft, mulga, occ. Ventilago, [illegible] shrub from 279 common to 4 ft, Eremophila latrobei (?) occ. to 3 ft. Sparse short grass. [illegible] of Bassia birchii. [illegible], [illegible], [illegible].

330 Ecotone [illegible]-ff.

354. Red-brown sand. Plain. E. populifolia to 35 ft, occ. E. [illegible] [illegible] mulga. [illegible] (+ occ.) [illegible] [illegible]. Helipterum.

Peakesia sp., Grass not: 28 sp.

Neurachne mitchelliana Nees.

353. Timbered E. populifolia, mulga to 30 ft, with mulga regrowth. [illegible] [illegible] [illegible] [illegible], [illegible] of [illegible] [illegible] [illegible]. Red sand, flat.

385 Rd junct. (Corner rd)

388 Thedane Tank.

391. Brown sandy loam, gently
[illegible] (CC 591) [illegible]
undulating. [illegible] to
[illegible]
to 25ft (with ~~[illegible]~~ [illegible]
[illegible]
[illegible]) and E. populifolia, [illegible],
[illegible]
to same height. Paspalidium
gracile. Eragrostis sp., to 9in.,
Bassia birchii to 9in. Atriplex,
Sida, Chloris.

411 Bottom.

414 Bottom depot 4/5/57

415. Red-brown sandy loam, slightly
[illegible] quadrilobus, [illegible]
undulating. E. populifolia to 50ft.
[illegible]
[illegible], [illegible] to 10ft.
[illegible]
occ. to 25ft. Heterodendron [illegible].
[illegible] obscurella) [illegible]
Aristida jerichoensis to 2ft. and
[illegible]
Digitaria sp, Eragrostis sp., &
[illegible]
~~[illegible]~~; Bassia birchii,
& Bassia & Rhagodia spp.

442 Turned off from St George
RS.

426. Red sand plain. E. intertexta
Gonzaca sp., Coryphistes sp., Macrotona
to 70ft., with some mulga, Acacia
spp. (2), Ecphantus quadrilobus,
excelsa, buddah, and Cassia
Genus nov. 28 sp., Moraba sp.,
sp. (to 5ft, fairly dense in patches).
Paspalidium
Aristida jerichoensis, ?Paspalidium
gracile (R.Br.) Hughes
Neurachne mitchelliana
sp. (spec.), ~~Neurachne~~, occ.
Sida sp. Moraba on "Paspalidium".

434 Turn to Argyle 12 miles (Right)

441. Slightly depressed area with
Moraba spp. (2), Austracris guttulosa,
slightly self-mulching grey-brown
Cibarinia sp., Monistria pustulifera,
soil with gilgais. Belah, E.
Macrotona spp. (2), Genus nov. 5(?) sp.,
populifolia, to 40ft, with mulga,
occ. Bimnus sp., Froggattina
buddah. Dichanthium sericeum,
australis.
Chloris sp., with couch in the
gilgais + Bassia birchii
abundant in patches. Aiolopus,
Oedaleus, Acrida, Froggattina
Moraba (small) associated with B. birchii.

456. Brown sand, level country.
Macrotona spp. (2), Peakesia sp.,
E. populifolia to 70ft, bulloke to
Urnisa guttulosa, Azelota sp., Oedaleus
40ft, buddah, occ. pine, E.
australis, Cibarinia sp., Genus
intertexta, leafwood, bloodwood
~~(? [illegible])~~

nov. 5(?) sp., Pycnostictus seriphus,
(50ft), Heterodendron. Aristida
Moraba sp.
jerichoensis & *Paspalidium gracile
to 2ft., occ. Sida. Moraba on
Paspalidium. Froggattina.

467. Low-lying swampy area.
Austracris guttulosa, Bermius sp.,
E. coolabah to 20ft, Acacia
Schizobothrus flavovittatus, Aiolopus
stenophylla to 15ft, ~~xx~~ Muehlen-
tamulus, Monistria pustulifera
beckia cunninghamii to 6ft,
occ. Acacia salicina, Belah.
Grasses & swampy plants to
1ft. Acrida.

469 Koolowale Ck.

471 Culgoa River

474 Toobee Ck

479 Dirranbandi

490. ~~Sa~~ Brown sand flat. E.
(40ft);
populifolia, wilga, Acacia
Adarnia sp., Oedaleus australis,
excelsa, Callitris glauca, occ.
Macrotona sp., Peakesia sp., Froggattina
budda, wild orange. Rather
australis, Genus nov. 5(?) sp.,
thin pasture of various species,
including *Paspalidium* gracile,

especially under trees. Bassia birchii in patches. Aiolopus: Heteropternis, Acrida, ~~A~~ Austracris guttulosa.

7508. Atalaya, Hindersia, mulga,
Macrolopholia sp.
Ventilago, occ. buddah, Owenia acidula ~~[illegible]~~;
wild orange, on grey-brown clay-loam flat. Chloris acicularis to 8in, scattered Bassia quinquecuspis, Rhagodia spp. & creeping Atriplex spp. Some bare ground. Aiolopus, Chort., Oedaleus.

520 Hebel

527. Low ridge with slight outcropping of conglomerate. Brown
with dense quartz gravel
sandy loam; E. populifolia, mulga
Ecphantus quadrilobus, Oedaleus
E. melanophloia, Acacia excelsa,
australis, Chortoicetes terminifera,
occ. wilga, buddah. Aristida
Macrotona sp. 16, Pycnostictus seriatus,
sp. to 9in, occ. Paspalidium
Genus nov. 5 (?) sp., Heteropternis obscurella (j)
gracile under trees. Heteropternis (j).

533 Angledool

Turned back

535 Turned off to Lightening Ridge – Walgett.